

# CAPP Rondo

## TUBE ROLLER

**CAPP Rondo Tube Roller** ensures efficient mixing of blood samples, viscous substances and liquid-solid suspensions. The programmable pulse mode feature with Run-Pause-Run motion and variable time setting from 30 to 99 seconds, give the user additional flexibility and improve the mixing process.

Apart from the rolling motion, an additional rocking movement has been applied to the rollers to ensure throughout optimal mixing. Equipped with a brushless DC motor, **CAPP Rondo Tube Roller** provides quiet and maintenance free operation, highly suitable for extended runs.

**CAPP Rondo Tube Roller** can accommodate up to 15 blood tubes of 7mL. The user interface panel is highly intuitive and displays both the time and speed. **CAPP Rondo Tube Roller** operates at speed ranging from 10 up to 80 RPM. The user can program up to 9 customized protocols.

With an increased user comfort and a low contamination risk in focus, **CAPP Rondo Tube Roller** operates with easily removable and autoclavable rollers. The stackable design and relatively small footprint will optimize your bench space. **CAPP Rondo Tube Roller** is also suitable for use in incubators in temperatures up to 40°C and humidity up to 80%.



### Specifications:

|                        |                                    |
|------------------------|------------------------------------|
| Motor Type             | Brushless DC motor                 |
| Motion                 | Rocking and rolling                |
| Number Of Tubes        | up to 15 x 7mL blood tubes         |
| Speed Range            | 10 to 80 RPM                       |
| Time Range             | 1 to 99 mins                       |
| Programmable Range     | 9 user-defined programs            |
| Operation Type         | Continuous and timed operation     |
| Removable Rollers      | Yes, tool free removal and fitment |
| Pulse Mode             | Yes (Run-Pause-Run mode)           |
| Tilt Angle             | +/-3°                              |
| Protection Class       | IP21                               |
| Weight                 | 6kg                                |
| Load Capacity          | 2kg                                |
| Dimensions (W X D X H) | 502mm x 92.5mm x 301mm             |
| Warranty               | 2 years                            |

## Ordering Information

### Cat. No. Description

|         |                              |
|---------|------------------------------|
| CRR-08X | CAPPRondo Tube Roller 80 RPM |
|---------|------------------------------|